

## 0799 - Organic Lemon Emulsion

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name : 0799 - Organic Lemon Emulsion  
 Product form : Mixture

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Food industry: component

##### 1.3. Details of the supplier of the safety data sheet

4518 Aurelius Road  
 Lansing, MI 48910  
 Telephone: 1.800.862.8620  
 Fax: 1.517.882.0507

##### 1.4. Emergency telephone number

Emergency number : CHEMTRAC: Within USA and Canada: 1.800.424.9300 Outside USA and Canada: +1 703 527 3887

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GHS US classification

Flam. Liq. 3 H226  
 Skin Sens. 1 H317  
 Carc. 1A H350

Full text of H statements : see section 16

##### 2.2. Label elements

###### GHS US labeling

Hazard pictograms (GHS US) :     
 GHS02 GHS07 GHS08

Signal word (GHS US) : Danger  
 Hazard statements (GHS US) : H226 - Flammable liquid and vapor  
 H317 - May cause an allergic skin reaction  
 H350 - May cause cancer  
 Precautionary statements (GHS US) : P201 - Obtain special instructions before use.  
 P202 - Do not handle until all safety precautions have been read and understood.  
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.  
 No smoking.  
 P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment.  
 P241 - Use explosion-proof manufacturing equipment  
 P242 - Use only non-sparking tools.  
 P243 - Take precautionary measures against static discharge.  
 P261 - Avoid breathing fumes  
 P272 - Contaminated work clothing must not be allowed out of the workplace.  
 P280 - Wear eye protection and protective gloves.  
 P302+P352 - IF ON SKIN: Wash with plenty of soap and water  
 P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing.  
 Rinse skin with water/shower.  
 P308+P313 - If exposed or concerned: Get medical advice/attention.  
 P321 - Specific treatment (see Safety Data Sheet)  
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
 P363 - Wash contaminated clothing before reuse.  
 P370+P378 - In case of fire: Use ABC-powder to extinguish  
 P403+P235 - Store in a well-ventilated place. Keep cool.  
 P405 - Store locked up.  
 P501 - Dispose of contents/container to an approved waste disposal plant

### 2.3. Other hazards

### 2.4. Unknown acute toxicity (GHS US)

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	%	GHS US classification
Proprietary Flavor Ingredient - RW-1655	9.5 – 10.5	Flam. Liq. 2, H225 Carc. 1A, H350
Proprietary Flavor Ingredient - RW-637	1.235 – 1.365	Flam. Liq. 4, H227 Aquatic Acute 2, H401
Proprietary Flavor Ingredient - RW-57	0.741 – 0.819	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

\*The specific chemical identities of the ingredients in this mixture, as well as, exact concentrations of any hazardous ingredients stated above, are considered trade secrets. This information is withheld in accordance with the provisions of 1910.1200 of the Code of Federal Regulations.

Full text of H-phrases: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: If exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapor.

Reactivity : Flammable liquid and vapor.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable protective equipment may intervene. Avoid breathing fumes.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes. Avoid breathing fumes.

Hygiene measures	: Separate working clothes from town clothes. Launder separately. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
------------------	---

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Natural Lemon Flavor WONF	
ACGIH	Not applicable
OSHA	Not applicable

Proprietary Flavor Ingredient - RW-1655		
ACGIH	ACGIH OEL STEL [ppm]	1000 ppm (Ethanol; USA; Short time value; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
OSHA	OSHA PEL (TWA) [1]	1900 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) [2]	1000 ppm

Proprietary Flavor Ingredient - RW-57	
ACGIH	Not applicable
OSHA	Not applicable

Proprietary Flavor Ingredient - RW-637		
ACGIH	ACGIH OEL TWA [ppm]	5 ppm (Inhalable fraction and vapor)
OSHA	Not applicable	

#### 8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Protective gloves.
Eye protection	: Safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Wear respiratory protection.
Environmental exposure controls	: Avoid release to the environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
	: No data available
	: No data available

---

Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 100 °F
Flash point	: 121.1 °F
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 1.152
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available

## 9.2. Other information

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Flammable liquid and vapor.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Proprietary Flavor Ingredient - RW-1655	
LD50 oral rat	10740 mg/kg body weight (Rat; OECD 401: Acute Oral Toxicity; Experimental value)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit; Literature study)
LC50 Inhalation - Rat	> 20 mg/l (4 h, Rat, Inhalation)
ATE US (oral)	10740 mg/kg body weight

Proprietary Flavor Ingredient - RW-637	
LD50 oral rat	4960 mg/kg (Rat, Oral)
LD50 dermal rat	> 2000 mg/kg (Rat, Dermal)
LD50 dermal rabbit	2250 mg/kg (Rabbit, Dermal)
ATE US (oral)	4960 mg/kg body weight
ATE US (dermal)	2250 mg/kg body weight

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : May cause cancer.

Proprietary Flavor Ingredient - RW-1655	
IARC group	1 - Carcinogenic to humans

Reproductive toxicity : Not classified

Specific target organ toxicity - single exposure : Not classified

Specific target organ toxicity - repeated exposure : Not classified

Aspiration hazard : Not classified

Symptoms/effects after skin contact : May cause an allergic skin reaction.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Proprietary Flavor Ingredient - RW-1655	
LC50 - Fish [1]	14200 mg/l (LC50; US EPA; 96 h; Pimephales promelas; Flow-through system; Fresh water; Experimental value)
EC50 - Crustacea [1]	9300 mg/l (48 h, Daphnia magna, Pure substance)

Proprietary Flavor Ingredient - RW-637	
LC50 - Fish [1]	4.6 - 10 mg/l (96 h, Leuciscus idus, Literature study)
EC50 - Crustacea [1]	7 mg/l (48 h, Daphnia magna, Literature study)

## 12.2. Persistence and degradability

Proprietary Flavor Ingredient - RW-1655	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.7 g O <sub>2</sub> /g substance
ThOD	2.1 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.43

## Proprietary Flavor Ingredient - RW-637

Proprietary Flavor Ingredient - RW-637	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.556 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.99 g O <sub>2</sub> /g substance
ThOD	2.84 g O <sub>2</sub> /g substance

## 12.3. Bioaccumulative potential

Proprietary Flavor Ingredient - RW-1655	
BCF - Fish [1]	1 (BCF; Other; 72 h; Cyprinus carpio; Static system; Fresh water; Read-across)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

## Proprietary Flavor Ingredient - RW-637

Proprietary Flavor Ingredient - RW-637	
BCF - Other aquatic organisms [1]	250 (Estimated value)
Partition coefficient n-octanol/water (Log Pow)	2.76 – 3.45 (Estimated value)
Bioaccumulative potential	Bioaccumulable.

## 12.4. Mobility in soil

Proprietary Flavor Ingredient - RW-1655	
Surface tension	0.022 N/m (20 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	Koc,PCKOCWIN v1.66; 1; Read-across

## 12.5. Other adverse effects

Effect on ozone layer : No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Additional information : Flammable vapors may accumulate in the container.

## SECTION 14: Transport information

In accordance with DOT

Transport document description (DOT) : UN1197 Extracts, flavoring, liquid, 3, III  
UN-No.(DOT) : UN1197

Proper Shipping Name (DOT)	: Extracts, flavoring, liquid
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
	
Packing group (DOT)	: III - Minor Danger
DOT Special Provisions (49 CFR 172.102)	<p>: B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</p> <p>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</p> <p>T2 - 1.5 178.274(d)(2) Normal..... 178.275(d)(3)</p> <p>TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = <math>97 / 1 + a (tr - tf)</math> Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.</p>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

#### Additional information

Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.

#### ADR

#### Transport by sea

#### Air transport

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

No additional information available



## 15.2. International regulations

### CANADA

Listed on the Canadian DSL (Domestic Substances List)

#### Proprietary Flavor Ingredient - RW-57

Listed on the Canadian DSL (Domestic Substances List)

Listed on the Canadian DSL (Domestic Substances List)

### EU-Regulations

No additional information available

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DDP]

#### 15.2.2. National regulations

##### Natural Lemon Flavor WONF

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on IARC (International Agency for Research on Cancer)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

##### Proprietary Flavor Ingredient - RW-2037

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

##### Proprietary Flavor Ingredient - RW-57

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

## 15.3. US State regulations

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: Other information

---

Full text of H-phrases:

H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H350	May cause cancer
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects